दिल्ली विकास प्राधिकरण अधिशाषी अभियंता का कार्यालय स्पोर्ट्स मैनेजमेंट सेल 1 मंजिल, स्क्रैश और बैडमिंटन स्टेडियम, सिरी फोर्ट रोड, नई दिल्ली -110049 ईमेल: ee01smc@gmail.com

No.F.4(115)EE/SMC/DDA/2024-25/ 210

Date: 10 07 24

To

M/s Sachin Builders, G-16/1 Sector – 15, Rohini, Delhi - 110089.

Sub:- M/o Various Sports Complexes/Golf Courses (A/R & M/O of works DDA

Sports complex, A-7, Narela for the year 2024-25).

Supplying and spreading of Good earth, repair and resurfacing of red bajri path, Shade stand for the benches and repair of boundary wall at DDA Sports Complex, A-7, Narela.

Sir.

Your Percenatage rate tender for the above mentioned work has been accepted on behalf of the Delhi Development Authority as per the rates and conditions given below.

नीचे दी गई प्रतिशत दरों और शर्तों के अनुसार, दिल्ली विकास प्राधिकरण की तरफ से उपर्युक्त कार्य के लिए आपकी प्रतिशत दर निविदा स्वीकार करली गई है।

1. Estt. Cost/ अनुमानित लागत

Rs. 25,59,372.00

(Rupees Twenty five lakh fifty nine thousand three

hundred seventy two only).

(रुपये पच्चीस लाख उनसठ हजार तीन सौ बहत्तर केवल)

2. Quoted % Tender Amount

Rs. 11,03,345.46

(Rupees Eleven lakh three thousand three hundred forty

five and paisa forty six only)

/स्वीकृत निविदा राशि

(रुपये ग्यारह लाख तीन हजार तीन सौ पैंतालीस और पैसा छियालीस

केवल)

3. Percentage/Quoted

56.89% Below the estimated cost

4. Time allowed/ समय की अनुमति :

45 days (पैंतालीस दिन)

The performance guarantee 5% of the tendered amount as FDR Account No.. 7810491655 dated 02.07.2024 amounting to Rs. 55,200/- (Rupees Fifty five thousand two hundred only) valid upto 29.12.2024 issued by Indian Bank, Sector- 15, Rohini Branch New Delhi-110089 submitted by you, has been considered by the Competent Authority.

सक्षम प्राधिकारी द्वारा विचार किया गया है कि आपके द्वारा प्रस्तुत की गई निविदा राशि की 5% निष्पादन गारंटी के रूप में एफ डी आर खाता संख्या 7810491655 दिनांक 02.07.2024 रुपये 55.200/- (रुपये पचपन हजार दो सौ केवल) इंडियन बैंक, सेक्टर- 15, रोहिणी, शाखा नई दिल्ली-110089 जारी किए गए दिनांक 29.12.2024 तक वैध माना गया है।

You are requested to contact Assistant Engineer- IV /SMC for taking possession of the site & start the work. You are also requested to attend this office along with non-judicial stamp paper worth Rs. 100/- to sign to complete the formal agreement within 7 days from the date of this letter.

Contd.2

आपसे अनुरोध है कि साइट पर कब्जा करने और काम शुरू करने के लिए सहायक अभियंता- IV / एसएमसी से संपर्क करें। आप से यह भी अनुरोध है कि आपको इस कार्यालय में इस पत्र के जारी होने की तारीख से 7 दिनों के भीतर गैर-न्यायिक 100रु/- के स्टैंप पेपर के साथ-साथ औपचारिक समझौते पर हस्ताक्षर करने है।

Please note that the time allowed for carrying out the work will be reckoned from the 10th day after the date of issue of this letter to commence the work. Further if you fail to commence the work as specified above, the award letter will be withdrawn by DDA without prejudice to any other right or remedy available on law will be at liberty to forfeit the Earnest

कृपया ध्यान दें कि काम करने के लिए अनुमति के समय को 'काम शुरू करने के लिए इस पत्र के जारी होने की Money and performance guarantee absolutely तारीख के 10 दिन के बाद से गिना जाएगा। इसके अलावा यदि आप ऊपर निर्दिष्ट कार्य शुरू करने में असफल हो जाते हैं, तो डीडीए द्वारा किसी भी अन्य अधिकार या कानून पर उपलब्ध उपायों के लिए पूर्वाग्रह से वापस ले लिया जाएगा अग्रिम धन राशि और प्रदर्शन गारंटी को पूरी तरह से ज़ब्त करने के लिए स्वतंत्र होगा।

> अधिशाषी अभियंता एसएमसी/डीडीए

Copy to (प्रतिलिपि): -

- Chief Engineer (Sports)DDA मुख्य अभियंता (खेल) डीडीए
- 2. Project Director (Sports)/DDA. परियोजना निदेशक (खेल) / डीडीए
- 3. Director (System) DDA for display at DDA website E-mail at doc or pdf & (ddatender@dda.org.in) निदेशक (सिस्टम) डीडीए
- 4. Secy/ /DDA. / डीडीए सचिव /
- 5 Labour Commissioner, Rajpura Road, New Delhi. श्रम आयुक्त, राजपुरा रोड, नई दिल्ली
- 6. Delhi Contractors Building association (Regd) No. 5503 Ch. Bhim Singh Road, Delhi (Ch. Prem Raj Bhawan New Chandrawal Road (UPC). दिल्ली के ठेकेदार बिल्डिंग एसोसिएशन (पंजीकरण) सं। 5503 च।भीम सिंह रोड, दिल्ली (चौ प्रेम राज भवन नई चंद्रावल रोड (यूपीसी)
- 7. Delhi Contractors Welfare Association (Regd) 306, Masjid Moth, South Extn. Part-II, New Delhi-दिल्ली कन्स्ट्रक्टर्स वेलफेयर एसोसिएशन (रजिंड) 306, मस्जिद मॉथ, दक्षिण विस्तार भाग- ॥, नई दिल्ली -110049 (यूपीसी)
- 8. Indian Contractor Association (Regd) G-80/20, Main Bazar Laxmi Nagar, Delhi-110092 (UPC). भारतीय ठेकेदार एसोसिएशन (रजिंड) जी -80 / 20, मुख्य बाजार लक्ष्मी नगर, दिल्ली -110092 (यूपीसी)।
- 9. Assistant Engineer- IV /SMC /DDA for information alongwith copy of schedule of quantities. जानकारी के लिए सहायक अभियंता- IV /एसएमसी /डीडीए, मात्रा के अनुसूची की प्रति के साथ।
- 10. Head Clerk SMC/ DDA. He is requested to issue the Master Register at once. हेड क्लर्क एसएमसी/डीडीए उन्हें एक बार में मास्टर रजिस्टर जारी करने का अनुरोध किया जाता है।
- 11. Accountant/SMC/ DDA. लेखाकार/एसएमसी / डीडीए
- 12. Copy of agreement. समझौते की प्रतिलिपि

अधिशाषी अभियंता एसएमसी/डीडीए

Tender Inviting Authority: Executive Engineer/Sports Management Cell

Name of Work: M/o Various Sports Complexes/Golf Courses (A/R & M/O of works DDA Sports complex, A-7, Narela for the year 2024-25)
Sub Head : Supplying and spreading of Good earth, repair and resurfacing of red bajri path, Shade stand for the benches and repair of boundary wall at DDA Sports Complex, A-7, Narela, Estimated Cost : Rs. 25,59,372.00

NIT No: 01/NIT/AE(P)/ EE/SMC/DDA/2024-25

Name :	Bidder
	SACHIN BUILDERS

INR Three Thousand &One and Paise Seventy Four	3001.74 Onto	357.35	Sqm	8.40	Some a some	
	47864.52	/38.65	Sym	64.80	12 mm cement plaster of mix 1.4 (1 cement 4 charge send)	8.00
INR Forty Seven Thousand Eight Hundred & Sixty Four and Paise Fiffy Two Only					Engineer-in-charge) 0.50 mm (± 0.05 %) total coated thickness with zinc coating 100 grains per sqm as per IS 277 in 240 mpa steel grade 5-7 micrors repoxy primer on both side of the sheet and polyester top coat 15-18 micrors. Sheet should have protective guard film of 25 micrors minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin- charge. The sheet shall be fixed using self-dniling /self-tapping-screws of size (5.5x.55 mm) with EPDM seal, complete upto any pitch in honzontal/vertical or curved surfaces excluding the cost of putlins, rafters and triusses and including cutting lossed and shape whether excluding the cost of putlins, rafters and triusses and including cutting losses and shape whether exputed.	
	70137.00	1948.25	Sqm	36.00	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of comings on as approved by	7.00
INR Seventy Thousand One Hundred & Thirty Seven Only					pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1: 4 (1 cement 4 coarse sand). 25 mm thick	
Nime and Paise Forty Eight Only	112839.48	194.40	ķ	580.45	Kota stone slab flooring over 20 mm (average) thick base laid over and initial with provious to the control of	6.00
INR One Lakh Twelve Thousand Eight Hundred & Thirty					hoisting fixing in position and applying a priming coat of approved steel primer, including welding and botted with special shaped washers are complete Hot forced with special shaped washers are complete. Hot forced with special shaped washers are complete.	
City	18034.60	9344.35	cum	1.93	Steel work in built up tubular (round square or rectangular bollow tubog sto) to constitutions	5.00
INR Eighteen Thousand &Thirty Four and Paise Sixty					plimith level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	
	42957.57	6518.60	Cum	6.59	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above	4.00
INR Forty Two Thousand Nine Hundred & Fifty Seven and Paise Fifty Seven Only					Nil work up to pinth level 115.10 (1 cement 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources)	
	2638.40	82.45	each	32.00	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering	3.00
INR Two Thousand Six Hundred & Thirty Eight and Paise Forty Only					watering etc. disposing of surplus excavated soil, as directed within a lead of 50 m and lift upto 1.5 m. All kinds of soil.	
	4674.60	129.85	Sqm	36.00	Excavating holes more than 0.10 cum & upto 0.5 cum including getting out the excavated soil, then returning the	2.00
INR Four Thousand Six Hundred & Seventy Four and Paise Sixty Only	7 -				plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer. Charge All kinds of soil	
	53	6	თ	4	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 som on	1.00
					3	_
TOTAL AMOUNT In Words	C AL AMOUNT	, and				ē
TEXT #		Dato	Units	Quantity	Item Description	ب
the mer me	NOMBER #	NUMBER	TEXT #	NUMBER #	SE TEXT#	NUMBE
ted for this tender. Bidders are allowed to con-	er is liable to be rejec	else the bidd	ent columns only)	filling the relevance and Values	(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to construct the same and Values only.)	(This

	66 111000	n Lakii iii	INK Eleve	Quoted Rate in Words	Quoted
Three Hundred & Forty Five and Paise Forty Six Only	Thousand	I ALL Th	1	Quoted rate in rightes	Cuoted
1103345.46 INR Eleven Lakh Three Thousand Times Forty Five and Paise Forty Six Only	56.89%	Less (-)		or in Circums	
259937 2.45 "White Two and Paise Forty Five Only Hundred & Seventy Two and Paise Forty Five Only				gures	Total in Figures
5173.76 Paise Seventy Six Only 5173.76 Paise Seventy Six Only Seventy Six Only Seventy Six Only Seventy Six Only	5173.76	Nos	1.00	Add 7 % for cost index on DSR items	18.00
4400.04 Only INIB Five Thousand One Hundred & Seventy Three and	4400.04	Nos	1.00	Add factor for GST @ .0633 on DSR items	17.00
69510.85 Paise Eighty Five Only NID Four Thousand Four Hundred and Paise Four	52.35	· Cum	1327.81	Spreading of sludge, dump manure and/or good earth in required thickness as per direction of officer-in-charge (cost of sludge, dump manure and/ or good earth to be paid separately	16.00
10945.00 Lindred & Ten and	109.45	metre	100.00		
INR Ten Thousand Nine Hundred & FOITY				Laying at or fred good a reet on some of an types in position to the required line, level and curvature, jointed with cement mortar 13 (1 cement 3 coarse sand), including making joints with or without grooves (thickness of joints, except at sharp curve, shall not be more than 5 mm), including making drainage opening wherever required etc. complete as per direction of Engineer-in-charge. (Length of finished kerb edging shall be measured for payment). (Old kerb stones shall be supplied by the department free of cost)	15.00
1044514.58 Cody Five Only	284.20	Sqm	36/5.28	or the property of the property of the property of all the property of the pro	200
1029 / 15.59 Sixteen and Paise Sixty Six Only Hundred or INR Ten Lakh Forty Four Thousand Five Hundred or Fourteen and Paise Fifty Eight Only	73.50			Cutting bain patris and making good the same including supply of extra quantities of bnck aggregate, moorum and red bajn required.	14.00
INR Ten Lakh Twenty Nine Thousand Seven Hundred	775 sn	Cum	1327.81	Coppying and convening to since Cook contri	
and Paise Forty Six Only	120 75	Sqm	689.95	kinnlying and stacking at site. Good earth	1300
INR Four Thousand Two Hundred & Iwo Hundred & Iwo Hundred & Eleven INR Eighty Three Thousand Three Hundred & Eleven	155.90	Sqm	27.13	Finishing walls with Acrylic Smooth exterior paint of required shade. Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface.	12.00
Paise Ninety Two Only 1963.92	116.90	Sqm	16.80	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	11.00
3458 70 Paise Seventy Only NR Three Thousand Four Hundred & Fifty Eight and 3458 70 Paise Seventy Only A & Sixty Three and	411.75	Sqm	8.40	Finishing walls with water proofing cement paint of required shade. New work (Two or more coats applied @ 3.84 kg/10 sqm)	10.00
				15 mm cement plaster on rough side of single or half brick wall of mix 1.4 (1 cement 4 coarse sand)	9 00

