

DELHI DEVELOPMENT AUTHORITY (SPEED POST)
OFFICE OF THE EXECUTIVE ENGINEER
HORTICULTURE CIVIL DIVISION-3
SIRI FORT SPORTS COMPLEX, NEW DELHI-110049
E-mail: eesd001@gmail.com Cont: 011-26495627

No. F1(318) EE/ HCD-3/HZ/A/DDA/2023-24/772

Date - 07/02/2024

To,

✓ Sh. Mohd. Juned Khan
3692/14, Roshanara Road,
New Delhi-110007

Name of work :- M/o Completed scheme under Nazul A/c-II (HZ).
Sub Head :- Repair and raising of boundary wall with concertina coil fencing, providing and laying kerb stone, making bajri path and various civil work at park. M/o Green area at Ladha Sarai.

Dear Sir,


Your percentage rate tender for the above work has been accepted on behalf of the Delhi Development Authority at the rates, terms and conditions given below: -

1. **Estimated Cost** : ₹ 52,05,863/- (Rupees Fifty two lacs five thousand eight hundred sixty three only).
2. **Quoted Amount** : ₹ 18,11,640/- (Rupees Eighteen lacs eleven thousand six hundred forty only).
3. **Accepted Amount** : ₹ 18,11,640/- (Rupees Eighteen lacs eleven thousand six hundred forty only).
4. **DSR Applicable** : DSR- 2021 & Market Rate
5. **Time allowed** : 120 days
6. **Rate Quoted by Agency** : 65.20% below on estimated cost.

You are requested to attend this office to sign the agreement along with non- judicial stamp paper worth Rs.100/- (Rupees One hundred only) within seven days from the date of issue of this letter. Please note that if you fail to sign the agreement within seven days, the acceptance of tender is likely to be withdrawn and performance guarantee shall be forfeited.

You are also requested to contact the AE-IV/HCD-3 and start the work at once. Please note that the time allowed for carrying out the work as entered in the tender form shall be reckoned from the 10th day after the date of issue of this letter to commence the work.

Encl.: - Schedule of work.


07/02/24
EXECUTIVE ENGINEER
HCD-3/D.D.A.

Copy to: -

1. CE(SZ)/DDA for kind information.
2. SE/HCC-1/DDA, Yamuna Sports Complex, Surajmal Vihar for kind information.

3. Dir.(Hort)S.E. Vikas Minar.
4. Sr. A.O/ CAU (SZ)/DDA.
5. Sr. A.O.(Works)-I/DDA.
6. Dy. Director (Hort)Division-VI, Sheikh Sarai.
7. All EE's of DDA and EE (QC)-II/DDA.
8. AE (P), AAO, HC & Notice Board of HCD-3/ DDA.
9. I.T. O, Contractor Circle, I.P.Estate, Income Tax building New Delhi.-110002
10. Commissioner, Sales Tax Deptt., NCT of Delhi, ITO, New Delhi.-110002
11. Labour Commissioner, 5 Sham Nath Marg Alipur Road, Delhi-110054.
12. The Secy, DDA Contractor Association register 40 A/E 18 Vikas Kuter, New Delhi.
Pin Code 110002.
13. DDA Website- ddatender @dda.org.in.
14. Spare copy for agreement.

|
EXECUTIVE ENGINEER
HCD-3/D.D.A.

Tender Inviting Authority: Executive Engineer, HCD-3, DDA

Name of Work: Mio Completed Scheme under Nazul A/c-II (RZ).

Sub Head: Repair and raising of boundary wall with concrete coil fencing, providing and laying kerb stone, making balji path and various civil work at park. Mio Green area at Ladhra Sarai.

NTT No: ZSEENCD-3DDA2023-24 Estimated Cost: Rs. 52,05,853/-

EMD : Rs. 1,04,117/-

Time allowed: 120 days

Name of the Bidder/ Bidding Firm / Company : MOHD JUNEED KHAN

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words	
1	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with : (a) Cement mortar 1:6 (1 cement : 6 coarse sand)	105.00	cum	6653.45	698612.00	INR Six Lakh Ninety Eight Thousand Six Hundred & Twelve Only	1
2	Random rubble masonry with hard stone in superstructure above plinth level and upto floor five level, including leveling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) at window sills, ceiling level and the like. (a) Cement mortar 1:6 (1 cement : 6 coarse sand)	175.00	cum	8275.70	1448248.00	INR Fourteen Lakh Forty Eight Thousand Two Hundred & Forty Eight Only	2
3	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc. up to floor five level, excluding the cost of centering, shuttering and finishing. (a) 1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	19.00	cum	9375.20	178129.00	INR One Lakh Seventy Eight Thousand One Hundred & Twenty Nine Only	3
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : (a) 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	25.00	cum	7365.15	184129.00	INR One Lakh Three Thousand Four Hundred & Seven Only	4
5	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	13186.00	cm	3.40	44832.00	INR Forty Four Thousand Eight Hundred & Thirty Two Only	5
6	Welding by gas or electric plant including transportation of plant at site etc. complete.	194.00	sqm	307.95	59742.00	INR Fifty Nine Thousand Seven Hundred & Forty Two Only	6
7	Centering and shuttering including strutting, propping etc. and removal of form for (a) Foundations, footings, bases of columns, etc. for mass concrete Providing and laying at or near ground level factory made kerb stone of M:25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement : 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	47.00	cum	8613.55	404837.00	INR Four Lakh Four Thousand Eight Hundred & Thirty Seven Only	7
8	Taking out existing kerb stones of all types from footpath/ central verge, including removal of mortar etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	270.00	metre	32.40	8748.00	INR Eight Thousand Seven Hundred & Forty Eight Only	8
9							

10	Laying at or near ground level old kerb stones of all types in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement : 3 coarse sand), including making joints with or without grooves (thickness of joints, except at sharp curve, shall not be more than 5 mm), including making drainage opening wherever required etc. complete as per direction of Engineer-in-charge. (Length of finished kerb edging shall be measured for payment). (Old kerb stones shall be supplied by the department free of cost)	243.00	metre	90.85	22077.00	INR Twenty Two Thousand & Seventy Seven Only
11	Reference from quotation page no 4/26 as Mark (A) Providing, placing and fixing of precast concrete chair type bench, manufactured from reputed manufacturers such as KK, DALAL, NITCO, CREATIVE, BEKAY or equivalent having M-30 grade of concrete using vibro compaction process and suitable reinforcement to prevent damages during handling, transportation, execution and long use. The bench consist of 2 Nos. L-shape base support in grey cement colour (Thickness-100 mm, Back HEIGHT- 1000 mm, Front height-450 mm. Base width-620 mm.) and 5 Nos. reinforced concrete plants in red colour of size 1500 mm x 100 mm x 50 mm. and 1 no. of reinforced concrete plant of size 1500 mm x 200 mm x 50 mm. All planks are to be joined together with galvanized nuts and bolts of suitable size and sealed after assembling the bench complete. The length of the bench 1500 mm. seat height 450 mm total height 1000 mm. front face of all planks shall be given special coating to make them water proof and glory etc. complete in all respects and as per the direction of Engineer-in-charge (Chair type bench with back rest). The agencies shall procure and submit specification of the manufacturer to get it approved before execution from the Engineer-in-charge.	20.00	nos	8027.60	160552.00	INR One Lakh Sixty Thousand Five Hundred & Fifty Two Only
12	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre operable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/sq.mmm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	834.00	metre	303.65	253244.00	INR Two Lakh Fifty Three Thousand Two Hundred & Forty Four Only
13	Cutting bajri paths and making good the same including supply of extra quantities of brick aggregate, mortarum and red bajri required.	1706.00	sqm	242.85	414302.00	INR Four Lakh Fourteen Thousand Three Hundred & Two Only
14	Pointing on stone work with cement mortar 1:3 (1 cement : 3 fine sand) : (a) Raised and cut pointing	1177.00	sqm	580.25	682954.00	INR Six Lakh Eighty Two Thousand Nine Hundred & Fifty Four Only
15	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : (a) 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources)	14.00	cum	6050.65	84709.00	INR Eighty Four Thousand Seven Hundred & Nine Only
16	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. (a) All kinds of soil	66.00	cum	205.45	13560.00	INR Thirteen Thousand Five Hundred & Sixty Only
17	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. (a) In grainings, frames, guard bar, ladder, railings, brackets, gates and similar works Multiplying factor@1.0533 for revised rate of GST@18% in place of 12%	238.00	kg	142.30	33967.00	INR Thirty Three Thousand Eight Hundred & Sixty Seven Only
Total In Figures					5205863.00	INR Three Lakh Nine Thousand Nine Hundred & Fourteen Only
Quoted Rate in Figures			Less (-)	65.20%	1811640.32	INR Fifty Two Lakh Five Thousand Eight Hundred & Sixty Three Only
Quoted Rate in Words		INR Eighteen Lakh Eleven Thousand Six Hundred & Forty and Paise Thirty Two Only				


07/02/24

Executive Engineer
HCD-3/DDA
SIH Fort Sports Comp'
New Delhi-110049