



दिल्ली विकास प्राधिकरण / Delhi Development Authority
कार्यालय अधिशाषी अभियंता / O/o Executive Engineer
द्वारका रखरखाव खंड-II / Dwarka Maintenance Division -II
केन्द्रीय नर्सरी सेक्टर-5 द्वारका / Central Nursery, Sector -5, Dwarka
नई दिल्ली :- ११००७५ / New Delhi -110075
ईमेल - eedmd2@dda.org.in

No. F54(2197)/EE/DMD-2/DDA/2025-26/A/689

Dated: 20/06/2026

To

Sh. Yogender Pal Singh
Plot no. 18 , Kh No- 595,596 , Block-2,
Near 40 Foota Road , Shyam Vihar
New Delhi-110043

Name of Work: M/o Various colonies under Nazul Account-II, Dwarka Zone.
Sub-Head: Repair and maintenance of STP water lines and associated infrastructure under Network No.1 to 4 in Dwarka.

Ref: F54(2197)/EE/DMD-II/DDA/2026-27/A/671 Dated: 17.06.2026
P.G. Received on: 15.06.2026 for Rs. 2,41,000 /- in the shape of Confirmation Of Deposit issued by State Bank of India.

Dear Sir,

Your Percentage rate tender for the above-mentioned work is hereby accepted on behalf of the Delhi Development Authority at the rates, terms & conditions given below:

Estimated Cost: Rs.27,28,535/- (Rupees Twenty Seven Lakhs Twenty Eight Thousand Five Hundred Thirty Five Only)
Quoted/tendered: Rs.20,79,143.67/- (Rupees Twenty Lakhs Seventy Nine Thousand One Hundred Forty Three decimal Sixty Seven only)
Accepted Amount: Rs.20,79,143.67/- (Rupees Twenty Lakhs Seventy Nine Thousand One Hundred Forty Three decimal Sixty Seven only)

The percentage to be taken for the purpose of Clause-12 of the agreement shall 23.80% below on the rates based on DSR- 2023.

You are requested to attend the office along with a non-judicial stamp paper worth Rs. 100/- (Rupees Hundred Only) to complete the formal agreement within ten days from the date of issue of this letter.

Please note that time allowed for completion of work as entered in the tender shall be reckoned from the 5th day from the date of issue of letter of acceptance to commence the work. The time allowed for execution of work is 365 days.

You are requested to contact AE –I of this division and start the work immediately.


18.6.26
EXECUTIVE ENGINEER
DMD-II/DDA


19.6.26

- Copy to:
1. Chief Engineer (DWK), DDA.
 2. Chief Engineer (QAC), Vikas Sadan, DDA
 3. S.E./DCC-1, DDA
 4. The Income Tax Officer (Contractors' Cell), ITO, New Delhi.
 5. Dy. Director (System) DDA with the request to e-mail the same in the website of DDA-ddatender@dda.org.in.
 6. Labour Commissioner, 15, Rajpur Road, Delhi.
 7. Secretary, CRB, DDA, Vikas Minar, New Delhi.
 8. All Ex. Engineers, Dwarka Zone, DDA.
 9. A.O(Works)-II, DDA.
 10. AO(CAU)/Dwarka, DDA.
 11. All AEs, H.C, AAO/DMD-II.
 12. AE-I/DMD-II, DDA, along with Schedule of Quantities & Rates.
 13. Agreement copy.
 14. Work File.

**EXECUTIVE ENGINEER
DMD-II/DDA**

Validate Print Help

Tender Inviting Authority: DELHI DEVELOPMENT AUTHORITY

Name of Work : - M/o various colonies under Narul Account-II, Dwarka Zone.
Sub-Head: Repair and maintenance of STP water lines and associated infrastructure under Network No. 1 to 4 in Dwarka

Contract No: 06/E/DMO-4/DOA/2028-27

Name of the Bidder/ Bidding Firm / Company : Shri Yogender Pal Singh

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bids are allowed to enter the Bidder Name and Values only)

PRICE SCHEDULE

Sl. No.	Item Description	NUMBER #	TEXT #	Quantity	Units	NUMBER Rate in p	NUMBER # TOTAL AMOUNT in p	TEXT # TOTAL AMOUNT in Words
1	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. (a) All kinds of soil	3	4	518.00	Cum	177.50	91465.00	INR Ninety One Thousand Nine Hundred & Forty Five Only
2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering. Lead up to 50 m and lift upto 1.5 m.	518.00	Cum	196.00	16128.00	INR One Lakh One Thousand Five Hundred & Twenty Eight Only		
3	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-charge.	180.00	sqm	131.75	23715.00	INR Twenty Three Thousand Seven Hundred & Fifteen Only		
4	Laying old cement concrete interlocking paver blocks of any design/ shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge. (Old CC paver blocks shall be supplied by the department free of cost).	144.00	sqm	402.95	58025.00	INR Fifty Eight Thousand & Twenty Five Only		
5	Providing and laying 60mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 20mm thick bed of cement mortar (1:4) [1 cement:4 coarse sand], filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge.	36.00	sqm	972	34992.00	INR Thirty Four Thousand Nine Hundred & Ninety Two Only		
6	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge: a) Bituminous road	135.00	sqm	428.5	57742.50	INR Fifty Seven Thousand Eight Hundred & Forty Eight Only		
7	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge : (a) Water bound macadam road	135.00	sqm	217.45	29354.75	INR Twenty Nine Thousand Three Hundred & Fifty Six Only		
8	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (a) Nominal concrete 1:3:6 or richer mix (1/c equivalent design mix)	12.00	Cum	2434.25	29211.00	INR Twenty Nine Thousand Two Hundred & Eleven Only		
9	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (a) Nominal concrete 1:4:8 or leaner mix (1/c equivalent design mix)	18.00	Cum	1503.60	27064.80	INR Twenty Seven Thousand & Sixty Five Only		
10	Providing and laying D.I. Specials of Class K - 12 suitable for mechanical jointing as per IS : 9523 : (a) Up to 600 mm dia	38.00	quintal	21290.10	809043.00	INR Eight Lakh Nine Thousand & Twenty Four Only		
11	Providing, laying, jointing and testing S&S Centrifugally Cast Ductile Iron double chamber Class K-9 pressure pipes conforming to IS : 8329/2000 with restrained joints (bolt less), all complete. (a) 100 mm nominal dia pipe	22.00	metre	1870.75	4187.00	INR Forty One Thousand One Hundred & Fifty Seven Only		
12	Providing, laying, jointing and testing S&S Centrifugally Cast Ductile Iron double chamber Class K-9 pressure pipes conforming to IS : 8329/2000 with restrained joints (bolt less), all complete. (b) 150 mm nominal dia pipe	11.00	metre	2590.90	28499.90	INR Twenty Eight Thousand Five Hundred Only		

13	Providing, laying, jointing and testing S&S Centrally Cast Ductile Iron double chamber Class K-9 pressure pipes conforming to IS: 8329:2000 with restrained joints (bolt less), all complete. (C) 200 mm nominal dia pipe	5.50	metre	3260.55	1733.00	INR Seventeen Thousand Nine Hundred & Thirty Three Only
14	Pumping out water caused by springs, tidal or river seepage, broken water mains or drains and the like by Engaging a pump set of capacity 4000 litres per hour for dewatering including fuel, operator and other overheads	240.00	Ml	231.50	4444.00	INR Forty Five Thousand Five Hundred & Sixty Only
15	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: (a) 1:5:10 (1 cement: 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources)	24.00	Cum	6518.60	18444.00	INR One Lakh Fifty Six Thousand Four Hundred & Forty Six Only
16	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: (a) 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	42.00	Cum	7878.50	30887.00	INR Three Lakh Thirty Thousand Eight Hundred & Ninety Seven Only
17	Providing & laying high density poly ethylene (HDPE) pipe PE-80 (IS 4984) 1/2 fittings of working pressure 6kg/cm ² 1/2 jointing of pipes and testing complete with all lead and lift as per direction of Engineer-in-charge. a) 110mm outer dia meter (4" nominal bore).	120.00	metre	369.00	44280.00	INR Forty Four Thousand Two Hundred & Eighty Only
18	Providing & laying high density poly ethylene (HDPE) pipe PE-80 (IS 4984) 1/2 fittings of working pressure 6kg/cm ² 1/2 jointing of pipes and testing complete with all lead and lift as per direction of Engineer-in-charge. b) 160mm outer dia meter (6" nominal bore)	60.00	metre	753.10	45180.00	INR Forty Five Thousand One Hundred & Eighty Six Only
19	Disposal of building rubbish / maba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	44.31	Cum	263.95	11894.00	INR Eleven Thousand Six Hundred & Ninety Six Only
20	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). (A) 100 mm diameter (I) Class I	5.00	each	4985.85	24929.00	INR Twenty Four Thousand Nine Hundred & Twenty Nine Only
21	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). (A) 150 mm diameter (I) Class II	5.00	each	7312.40	36422.00	INR Thirty Six Thousand Five Hundred & Sixty Two Only
22	Constructing masonry Chamber 90x90x100 cm inside, in brick work in cement mortar 1:4 (1 cement : 4 coarse sand) for sluice valve, with C.I. surface box 100 mm top diameter, 160 mm bottom diameter and 180 mm deep (inside) with chained lid and RCC top slab 1:1.5:3 mix (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size), including necessary excavation, foundation concrete 1:5:10 (1 cement: 5 fine sand: 10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12 mm thick, finished with a floating coat of neat cement complete as per standard design : (A) With common burnt clay F.P.S.(non modular) bricks of class designation 7.5	10.00	each	18896.70	188967.00	INR One Lakh Eighty Eight Thousand Nine Hundred & Sixty Seven Only
23	Providing of STP water through water tanker of horticulture features i.e. lawn, tree, shrubs, hedge/edge, ground cover etc. at the site of work. Water tanker having 5000 lit. capacity with one labour for watering 1/2 cost of water, filling of tanker, Filling tank at site with all leads and lifts as per direction of officer-in-charge. (GPS tracker data of the tanker is also required to be submitted by the agency)	110.00	per trip	932.95	103623.00	INR One Lakh Two Thousand Six Hundred & Twenty Five Only
24	Providing and placing in position 100 mm thick factory made machine batched & machine mixed Precast RCC Rectangular Covers on drains of footpath of various sizes, of M-25 grade cement concrete for RCC work, including cost of centering, shuttering, reinforcement of 8 mm dia TMT bars of Fe 500 grade @ maximum 100 mm c/c on both ways, neat cement punning on finished surface, properly encased on all edges with 1.6 mm thick, 100 mm wide MS sheet duly painted over priming coat/reinforcement to be welded at edges with MS sheet and providing 2 Nos. 12 mm dia bar for hooks etc including cost of cartage, all leads & lift, handling at site etc. all complete as per direction of Engineer-in-Charge.	24.00	sqm	3081.95	7397.00	INR Seventy Three Thousand Nine Hundred & Sixty Seven Only
25	Cleaning of under ground sump/Over Head R.C.C. Tank including disposal of silt and rubbish, all as per direction of Engineer-in-Charge. The cleaning shall consist following operations:- (i) Tank shall be emptied of water by pumping & bottom brush etc. and pressure washed with water. (ii) Entire surface area of the sump shall then scrubbed thoroughly with wire	7381.00	sqm	52.21	38342.00	INR Three Lakh Eighty Five Thousand Three Hundred & Sixty Two Only
	Add CI @ -0.09%				3488.00	INR Minus Two Thousand Four Hundred & Fifty Eight Only

- Note:**
- 1) The agency must attend the site within 24 hrs. of information communicated through any mode of communication, otherwise penalty of Rs. 500 per day delay after initial 24hrs. Will be lived on the agency.
 - 2) If any challan is received in this office on any day by NGT/DCC/CP/Local authority or any govt. agency then the same shall be born by the agency and if fails, the amount of challan shall be recovered from the bill of the agency. Nothing extra shall be paid to the agency on this account.
 - 3) The agency shall be solely responsible for any unwanted incident occurs at the site due to digging of road/footpath/ground coming under the alignment of repair of STP line.
 - 4) A penalty of Rs. 2000/- per day shall be imposed incase the contractor fails to execute the work completely/satisfactorily. Decision of Engineer-in-charge shall be final and binding to the contractor.
 - 5) The agency must clear off all the materials from the site after the repair work but if the agency fails to clear the site then a penalty of Rs. 5000 per incident shall be imposed on the agency.
 - 6) The agency shall submit before and after GPS photographs of work executed at site.
 - 7) Agency shall mandatorily fix the display board "Work in Progress" at the execution site.
 - 8) Agency shall mandatorily fix proper barricading along with green net at each site during the execution of work and if compliance of same is not observed then a penalty of Rs. 500 per incident will be imposed on the agency.

Total in Figures		Less (-)		2079140.87		INR Twenty Seven Lakh Twenty Eight Thousand Five Hundred & Thirty Five Only	
Contract Rates in Figures		INR Twenty Lakh Seventy Nine Thousand One Hundred One Hundred and Forty Three and Paise Sixty Seven Only		2728535.00		INR Twenty Seven Lakh Twenty Eight Thousand Five Hundred & Thirty Five Only	
Contract Rates in Words		INR Twenty Lakh Seventy Nine Thousand One Hundred One Hundred and Forty Three and Paise Sixty Seven Only		2079140.87		INR Twenty Lakh Seventy Nine Thousand One Hundred & Forty Three and Paise Sixty Seven Only	

P. M. D.
19.6.26

अधियासी अभियता
Executive Engineer
दा.ख.खण्ड-II/दि.वि.शा.
P.M.D.-2/D.D.A.

P. M. D.
19.6.26