दिल्ली विकास प्राधिकरण अधिशासी अभियंता कार्यालय एन.एम.डी.-4 (पूर्ववर्ती डब्ल्यू.डी.-5) प्रथम तल, विकास मीनार, नई दिल्ली-110002



Office of The Executive Engineer NMD-4 (Erstwhile WD-5) 1st floor, Vikas Minar, New Delhi-110002 Email ID – eewd5vm@gmail.com Contact No. 011-23379515

No. F.5(18)EE/NMD-4/DDA/2024-25/ 445

Dated. 18-10-24

To

M/s SS Construction Co., BQ-20, Shalimar Bagh, Delhi-110088

N.O.W:

Fencing of vacant land under North Zone.

Sub-Head:

Repair of boundary wall and SFRC fencing in some vacant DDA land at Anand

Parbat.

Your percentage rate tender for the above-mentioned work has been accepted on behalf of the President of India by DDA as per the rates and conditions given below:

1. Estt. Cost

Rs. 22,93,138/-

(Rs. Twenty-Two

Ninety-Three

Thousand One Hundred Thirty-Eight Only)

Lakh

2. Tendered Amount

Rs. 11,22,032/-

(Rs. Eleven Lakh Twenty-Two Thousand

Thirty-Two Only)

3. Percentage

51.07% below on the estimated cost.

4. Time allowed

45 days

The 5% performance guarantee of the tendered amount "TDR A/c No. 467903031045971 & Reverse A/c No. 179540130309764 Dated 27-09-2024 Amounting to Rs. 57,000/- Valid upto 26-08-2025 from Union Bank of India, Shalimar Bagh, New Delhi-110088" submitted by you, has been considered. You are also requested to attend this office along with non-judicial stamp paper worth Rs. 50/- to sign the formal agreement. The above said formalities must be completed within 7 days from the date of issue of this letter.

After completion of the above noted formalities you should contact to the Sh. Akshay Kumar, AE-III/NMD-4 of this division and start the work at once. Please note that the time allowed for carrying out the work will be 'reckoned from the 10th day after the date of issue of this letter to commence the work. Further if you fail to commence the work as specified above, the award letter will be withdrawn by DDA without prejudice to any other right or remedy available on law will be at liberty to forfeit the performance guarantee absolutely.

(Er. Arjun Lal Meena)
Executive Engineer
NMD-4/DDA

Copy to: -

- 1 SE/NCC-2/DDA.
- 2 EE (QC) IV/DDA.
- 3 F.O. to C.E. North Zone/DDA
- 4 AO(W)II/DDA.
- 5 Dy. Commr. Sales Tax Office Govt. of NCT Room No. 211, Bikri Kar Bhawan, ITO, New Delhi.
- 6 Trans Yamuna Contractor association (Regd) 11-12 Vir Sawakar Market (Budh Bazar) Gandhi Nagar, New Delhi-110031 (UPC).
- 7 Delhi Contractors Building association (Regd) No. 5503 Ch. Bhim Singh Road, Delhi (Ch. Prem Raj Bhawan New Chandrawal Road (UPC).
- 8 Delhi Contractors Welfare Associations (Regd) 306, Masjid Moth, South Extn. Part-II, New Delhi-110049 (UPC).
- 9 Indian Contractor Association (Regd) G-80/20, Main Bazar Laxmi Nagar, Delhi-110092 (UPC).
- 10 Sh. Akshay Kumar, AE-III/NMD-4 for information along with copy of schedule of quantities.
- 11 AE(P)/NMD-4/DDA for information along with copy of schedule of quantities.
- 12 Head Clerk/NMD-4/DDA. He is requested to issue the Master Register at once.
- 13 Dy. Director (System) @ dda.org.in to place on DDA website.
- 14 Director (PR) @ dda.org.in.
- 15 E-mail to ddatender@dda.org.in
- 16 Guard File

Executive Engineer NMD-4/DDA - Validate

Print

нетр

Tender Inviting Authority: Delhi Development Authority

Name of Work: Fencing of vacant land under North Zone.

Sub Head: Repair of boundary wall and SFRC fencing in some vacant DDA land at Anand Parbat.

N.I.T No: 18/EE/NMD-4/DDA/2024-25

M/S. S.S. CONSTRUCTION CO.					
	DDICE SCUE	DILLE			
TEXT#	NUMBER #	TEXT#	NUMBER	NUMBER#	TEXT#
Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
2	3	4	5	6	7
12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand)	1291.26	sqm	333.35	430441.52	INR Four Lakh Thirty Thousand Four Hundred & Forty One and Paise Fifty Two Only
Finishing walls with water proofing cement paint of required shade: Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litrs/10 sqm complete including cost of Priming coat.	1291 26	sam	112 90		INR One Lakh Forty Five Thousand Seven Hundred & Eighty Three and Paise Twenty Five Only
Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes		sqiii		143/03.23	INR Thirty Two Thousand Five Hundred & Thirty Six and Paise Seventy Three Only
D 15 16 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	167.37	kg	194.4	32536.73	
(Height) x 1000 mm (Length) x 50 mm (thickness) manufactured with M-30 grade of concrete using vibro compaction process, suitably reinforced, including priming coat of exterior primer complete as per direction of Engineer-in-charge. (Cement Concrete for jamming the railings will be paid separately)	412.00	each	805 31	331787 72	INR Three Lakh Thirty One Thousand Seven Hundred & Eighty Seven and Paise Seventy Two Only
Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level. (b) 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)					INR Fifty Thousand Eight Hundred & Sixteen and Paise Thirty Three Only
Centering and shuttering including strutting, propping etc. and removal of form work for: (a) Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc.					INR Forty Eight Thousand Five Hundred & Two and Paise Seventy Three Only
Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)					INR Thirteen Lakh Sixteen Thousand Nine Hundred & Two and Paise Forty Nine Only
Modified Estimated Cost after using Correction factor on DSR 2023 on account of GST@.973 Items No. 1 to 7 i.e. on Rs. 2356770.77	144.02	Cum	63632.82	63632.82	INR Sixty Three Thousand Six Hundred & Thirty Two and Paise Eighty Two Only
				2293138.00	INR Twenty Four Lakh Twenty Thousand Four Hundred
Figures		Less (-)	51.07%	1122032.42	& Four Only INR Eleven Lakh Twenty Two Thousand &Thirty Two and Paise Forty Two Only
	Item Description 2 12 mm cement plaster of mix: 1:6 (1 cement: 6 fine sand) Finishing walls with water proofing cement paint of required shade: Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litrs/10 sqm complete including cost of Priming coat. Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes Providing and fixing concrete railing (V shape fence) with overall dimensions 1000 mm (Height) x 1000 mm (Length) x 50 mm (thickness) manufactured with M-30 grade of concrete using vibro compaction process, suitably reinforced, including priming coat of exterior primer complete as per direction of Engineer-in-charge. (Cement Concrete for jamming the railings will be paid separately) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level. (b) 1:2.4 (1 cement: 2 coarse sand (zone-III) derived from natural sources: 4 graded stone aggregate 20 mm nominal size derived from natural sources) Centering and shuttering including strutting, propping etc. and removal of form work for: (a) Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc. Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in: Cement mortar 1:6 (1 cement: 6 coarse sand) Modified Estimated Cost after using Correction factor on DSR 2023 on account of GST@.973 Items No. 1 to 7 i.e. on Rs. 2356770.77	TEXT # NUMBER # Item Description Quantity 2 3 1291.26 Finishing walls with water proofing cement paint of required shade: Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litrs/10 sqm complete including cost of Priming coat. Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes 167.37 Providing and fixing concrete railing (V shape fence) with overall dimensions 1000 mm (Height) x 1000 mm (Length) x 50 mm (thickness) manufactured with M-30 grade of concrete using vibro compaction process, suitably reinforced, including priming coat of exterior primer complete as per direction of Engineer-in-charge. (Cement Concrete for jamming the railings will be paid separately) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level. (b) 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) Centering and shuttering including strutting, propping etc. and removal of form work for : (a) Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc. Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand) Modified Estimated Cost after using Correction factor on DSR 2023 on account of GST@.973 Items No. 1 to 7 i.e. on Rs. 2356770.77	TEXT # NUMBER # TEXT # Item Description Quantity Units	TEXT # NUMBER # TEXT # NUMBER # TEXT # NUMBER Item Description Quantity Units Estimated Rate in Rs. P 12 mm cement plaster of mix : 2 3 4 5 13 4 5 14 6 Cement 6 fine sand) 1291.26 sqm 333.35 Finishing walls with water proofing cement paint of required shade : Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.90 liter/10 gam complete including cost of priming coat of primer applied @ 0.90 liter/10 gam complete including cost of priming coat. Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bottled with special shaped washers etc. complete. Hot finished welded type tubes Providing and fixing concrete railing (V shape fence) with overall dimensions 1000 mm (Height) x 1000 mm (Length) x 50 mm (thickness) manufactured with M-30 grade of concrete using vibro compaction process, suitably reinforced, including priming coat of exterior primer complete as per direction of Engineer-in-charge. (Cement Concrete for jamming the railings will be paid separately) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level. (b) 12.24 (1 cement: 2 coarse sand (zone-III) derived from natural sources: 4 graded stone aggregate 20 mm nominal size derived from natural sources: 5 coarse sand (zone-III) derived from natural sources: 57.57 sqm 842.50 Centering and shuttering including strutting, propping etc. and removal of form work for: 5 coarse sand (zone-III) derived from natural sources: 57.57 sqm 842.50 Bick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.3 in superstructure above plinth level up to floor V level in all shapes and sizes in: 6 coarse sand) Modified Estimated Cost after using Correction factor on DSR 2023 on account of GST@973 Items No. 1 to 7 i.	TEXT # NUMBER # TEXT # NUMBER # TEXT # NUMBER NUMBER # TEXT # TEXT # NUMBER # TEXT # TEXT # TEXT # NUMBER # TEXT # TE

अधिशाषी अभियन्ता
Executive Engineer
एन.एम.डी.-4/डी.डी.ए.
Northern Maint. Div.-4/D.D.A.